Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	114734	"73"/$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 09:01
S2	21	US-3757190-$.DID. OR US-3944798-$.DID. OR US-4313283-$.DID. OR US-4382215-$.DID. OR US-4388758-$.DID. OR US-4496279-$.DID. OR US-4593470-$.DID. OR US-4606696-$.DID. OR US-4631404-$.DID. OR US-4667096-$.DID. OR US-4676002-$.DID. OR US-4703443-$.DID. OR US-4839646-$.DID. OR US-4857926-$.DID. OR US-4888877-$.DID. OR US-5079500-$.DID. OR US-5084981-$.DID. OR US-5148377-$.DID. OR US-5174039-$.DID. OR US-5293107-$.DID. OR US-5402582-$.DID.	USPAT	OR	ON	2005/07/26 15:59
S3	1	"758697".ap.	US-PGPUB	OR	ON	2005/04/04 09:52
S4	106324	("33").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/04 10:06
S5	116	S4 and "arm within" with arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/04 10:08
S6	0	S4 and "arm within an arm"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/04 10:07
S7	0	S4 and (rubber compliant flexible) adj (spacers seperators) with arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 06:33

S8	4	S2 and controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/04 10:20
S9	0	S2 and controller adj instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/04 10:21
S10	1	S4 and controller adj instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/04 10:21
S11	0	positioning adj system and (rubber compliant flexible) adj (spacers seperators) with arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 06:41
S12	7	positioning adj system and exoskeletal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 06:42
S13	0	exoskeleton same arm and CCM same probe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 08:56
S14	100	exoskeleton same arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 08:57
S15	2	exoskeleton same arm with "CMM"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 09:20
S16	417	crampton.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:03
S17	0	crampton.in. and waltham.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:03

S18	21	exoskeleton same arm with (robot robotic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 09:20
S19	14	exoskeleton same arm with (robot robotic) and (elastic flexible compliant complient bendable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 09:59
S20	0	exoskeleton same arm with (robot robotic) and (damping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 09:52
S21	8221	("901").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/25 09:52
S22	30	S21 and vibration with damping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 09:52
S23	1556566	exoskeleton s and (elastic flexible compliant complient bendable damping yielding deformable rubber nylon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:00
S24	19	S21 and exoskeleton and (elastic flexible compliant complient bendable damping yielding deformable rubber nylon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:04
S25	62	(arm) same exoskeleton and (elastic flexible compliant complient bendable damping yielding deformable rubber nylon) not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:06
S26	543	exoskeleton and (elastic flexible compliant complient bendable damping yielding deformable rubber nylon) not (S24 S25)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:06
S27	34	articulated and exoskeleton and (elastic flexible compliant complient bendable damping yielding deformable rubber nylon) not (S24 S25)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:06

S28	21992	lamp and spring and position with held	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:10
S29	19670	lamp and spring and position with held and (member arm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:10
S30	5317	lamp same spring same position with held same (member arm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:10
S31	3665	lamp same spring same position with held same (member arm) and moved	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:11
S32	63	lamp same spring same position with held same (member arm) and moved and desk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 10:11
S33	9	("3226073").URPN.	USPAT	OR	ON	2005/07/25 10:13
S34	8	US-3023059-$.DID. OR US-3022128-$.DID. OR US-2926381-$.DID. OR US-2891792-$.DID. OR US-2843205-$.DID. OR US-2787434-$.DID. OR US-2751984-$.DID. OR US-2076446-$.DID.	USPAT	OR	ON	2005/07/26 13:06
S35	6	("2076446").URPN.	USPAT	OR	ON	2005/07/25 10:17
S36	25	("20030075658" | "2076446" | "2787434" | "3041060" | "3219303" | "3226073" | "3311340" | "3543019" | "3774873" | "4080530" | "4160536" | "4447031" | "4744019" | "4796162" | "4846434" | "4953822" | "5097400" | "6378829").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/25 10:18
S37	6	("2076446").URPN.	USPAT	OR	ON	2005/07/25 10:34

S38	21	(US-20050150123-$).did. or (US-3757190-$ or US-4593470-$ or US-4676002-$ or US-6428266-$ or US-6431019-$ or US-5796229-$ or US-4921393-$ or US-4326155-$ or US-5155423-$ or US-4937759-$ or US-4751868-$ or US-3713453-$ or US-2787434-$ or US-2076446-$ or US-6896230-$ or US-4953822-$ or US-4160536-$).did. or (US-3226073-$).did. or (WO-2004096502-$).did. or (JP-04057690-$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/25 10:58
S39	9	S38 and (hollow tubular)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/25 11:13
S40	3	S38 and (hollow tubular) and vibration and damping	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/25 11:13
S41	2	("5796229").URPN.	USPAT	OR	ON	2005/07/25 11:15
S42	16	("4031437" | "4257147" | "4714865" | "4741642" | "4797564" | "4848546" | "4915574" | "4925360" | "4954005" | "4995493" | "4998606" | "5002173" | "5086901" | "5092645" | "5224032" | "Re34870").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/25 11:20
S43	255847	(tube tubular exoskeleton hollow) same ((arm member) and "within") same (compliant rubber spacers flexible spring bendable damping dampening dampener)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 11:35
S44	2148	(tube tubular exoskeleton hollow) same ((arm member) and "within") same (compliant rubber spacers flexible spring bendable damping dampening dampener) and articulated and joint	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 11:36
S45	140	(tube tubular exoskeleton hollow) same ((arm member) and "within") same (compliant rubber spacers flexible spring bendable damping dampening dampener) and articulated and joint and measuring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/25 11:36
S46	3	US-4676002-$.DID. OR US-4606696-$.DID. OR US-4119212-$.DID.	USPAT	OR	ON	2005/07/26 13:07

S47	137	(414/913).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/26 15:59
S48	8225	("901").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/26 16:01
S49	94	S48 and shock adj absorb$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/26 16:02
S50	1	("4016803").URPN.	USPAT	OR	ON	2005/07/26 16:51
S51	7	("2613703" | "3263572" | "3732027" | "3802318" | "3896914").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/26 16:51
S52	116706	"73"/$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 08:57
S54	220488	("73").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/27 09:01
S56	88	("4676002").URPN.	USPAT	OR	ON	2005/07/27 10:44
S57	8	("4240205" | "4283153" | "4316329" | "4485562" | "4505049" | "4517744" | "4543724" | "4573271").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/27 10:45

S58	29	(US-20050150123-$ or US-20050004644-$).did. or (US-3757190-$ or US-4593470-$ or US-4676002-$ or US-6428266-$ or US-6431019-$ or US-5796229-$ or US-4921393-$ or US-4326155-$ or US-5155423-$ or US-4937759-$ or US-4751868-$ or US-3713453-$ or US-2787434-$ or US-2076446-$ or US-6896230-$ or US-4953822-$ or US-4160536-$ or US-6819550-$ or US-4606696-$ or US-4119212-$ or US-4913613-$ or US-4016803-$).did. or (US-3226073-$).did. or (WO-2004096502-$ or GB-2097359-$).did. or (JP-04057690-$ or JP-01222883-$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/07/27 12:06
S59	21	US-3757190-$.DID. OR US-3944798-$.DID. OR US-4313283-$.DID. OR US-4382215-$.DID. OR US-4388758-$.DID. OR US-4496279-$.DID. OR US-4593470-$.DID. OR US-4606696-$.DID. OR US-4631404-$.DID. OR US-4667096-$.DID. OR US-4676002-$.DID. OR US-4703443-$.DID. OR US-4839646-$.DID. OR US-4857926-$.DID. OR US-4888877-$.DID. OR US-5079500-$.DID. OR US-5084981-$.DID. OR US-5148377-$.DID. OR US-5174039-$.DID. OR US-5293107-$.DID. OR US-5402582-$.DID.	USPAT	OR	ON	2005/07/27 12:06
S60	18	S58 not S59	USPAT	OR	ON	2005/07/27 13:37
S61	13	(S58 S59) and probe	USPAT	OR	ON	2005/07/27 13:38
S62	5	(S58 S59) and probe and coordinate with measure	USPAT	OR	ON	2005/07/27 13:38
S63	3	measuring adj arm same support adj arm same "within"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/27 15:59